

FOOT & ANKLE

Calcaneal Plate

(Right, Left) (Small, Medium, Large)

- Anatomic, Contoured Design
- Designed to minimize subsidence and irritation of tendons
- Low Profile
- Locking, non-locking
- Can be used in pediatric and adults
- Used with 3.5mm Cortex / Locking Head Screw



Universal Plate

(2 Hole to 15 Hole)

- Can generate max 2mm compression
- Locking, Non-Locking
- Low Profile
- Used with 3.5mm Cortex / Locking Head Screw



MTP Plate

(Right, Left) (Medium)

- Anatomic
- Have offset ears for multi-planar fixation
- Slot provides option for compression
- Used with 3.5mm cortex / Locking Head Screw



TMT Plate

(Right, Left) (Small, Medium)

- Anatomic
- Window to evaluate fusion sites
- Locking, non-locking
- Provides axial and coronal stability
- Contains compression slots
- Used with 3.5mm Cortez / Locking Head Screw



Ankle Utility Plates

(22.5, 27.5, 32.5, 37mm)

- Low Profile
- Locking, non-locking
- Combined in paediatric and adults
- Multiple uses from osteotomy, to fusion, to bridge plating
- Used with 3.5mm Cortez / Locking Head Screw



C Type Plate

(Small, Medium, Large)

- Low profile
- Locking, non-locking
- Window to evaluate fusion sites
- Used with 2.7mm Cortez / Locking Head Screw and 3.5mm Cortez / Locking Head Screw



INFINA

MEDICAL SUPPLY

Ankle Arthrodesis Nail

(Dia:9, 10, 11mm) (Length:150-330mm with 30mm difference)

- Advanced Anatomical Cannulated Nail
- Optimal Fit In Bone
- Easy Insertion and extraction
- Distal dynamization option



End Caps (5, 10, 15mm)

- Easy insertion and extraction
- For easy compression



3.5mm Ankle Cortex Screw

(16-36mm with 2mm difference)

- Locking head, non-locking head
- Optimized threads
- Color Coordinated
- Complete Lengths



5.5mm Cannulated Screw (30-60mm with 2mm difference)

(65-100mm with 5mm difference)

Also Available 4mm cannulated screw

- Aggressive self-drilling and tapping screws
- Optimized threads
- Reverse threads for easy removal
- Color Coordinated
- Complete Lengths
- Short and long threads



INFINA

MEDICAL SUPPLY

7.0mm Cannulated Screw (30-130mm with 5mm difference)

- Aggressive self-drilling and tapping screws
- Optimized threads
- Reverse threads for easy removal
- Color Coordinated
- Complete lengths
- Short and long threads

